

# iMedix: Your Personal Health Advisor.

## Hysept Solution, Non-

---

Search for medical details concerning HySept on iMedix including its uses, side effects and safety, interactions, pictures, warnings and user ratings.

- **ActiveIngredient:**
  - **DosageForm:**
  - **Dosage:**
  - **Indications:**
  - **Manufacturer:**
  - **Storage:**
  - **Market Price:**
  - **Drug Status:**
- 

### Description

Side Effects Redness, irritation, swelling, and pain may occur. If any of these effects last or get worse, notify your doctor or pharmacist promptly. If your doctor has directed you to use this medication, remember that your doctor has judged that the benefit to you is greater than the risk of side effects. Many people using this medication do not have serious side effects. A very serious allergic reaction to this drug is rare. However, get medical help right away if you notice any symptoms of a serious allergic reaction, including: rash, itching/swelling (especially of the face/tongue/throat), severe dizziness, trouble breathing. This is not a complete list of possible side effects. If you notice other effects not listed above, contact your doctor or pharmacist. In the US – In the US – Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088 or at [www.fda.gov/medwatch](http://www.fda.gov/medwatch). In Canada – Call your doctor for medical advice about side effects. You may report side effects to Health Canada at 1-866-234-2345. Uses Dakin's solution is used to prevent and treat skin and tissue infections that could result from cuts, scrapes and pressure sores. It is also used before and after surgery to prevent surgical wound infections. Dakin's solution is a type of hypochlorite solution. It is made from bleach that has been diluted and treated to decrease irritation. Chlorine, the active ingredient in Dakin's solution, is a strong antiseptic that kills most forms of bacteria and viruses. How to use Hysept Solution, Non- Pour, apply or spray onto the injured area. When used on wounds, Dakin's solution can be poured onto the affected area as an irrigation or cleanser. It is also used to wet certain types of wound dressings (such as wet to moist dressing). Follow your doctor's instructions exactly. The body's own wound-healing tissues and fluids can decrease the antibacterial effect of Dakin's solution. This solution is often used only once daily for minor wounds and twice daily for heavily draining or contaminated wounds. Use this product as directed by your doctor. Protect the surrounding healthy skin with a moisture barrier ointment (such as petroleum jelly) or skin sealant as needed to prevent irritation. Inform your doctor if your condition does not improve or if it worsens. Discuss other treatment options with your doctor. Precautions Before using this product, tell your doctor or pharmacist if you are allergic to it; or to any chlorine compounds; or if you have any other allergies. This product may contain inactive ingredients, which can cause allergic reactions or other problems. Talk to your pharmacist for more details. This product is for external use only. Do not swallow. Do not use in eyes, ears, or nose. If the solution gets into the eyes, flush the open eyes right away with clean water for at least 15 minutes. Interactions Drug interactions may change how your medications work or increase your risk for serious side effects. This document does not contain all possible drug interactions. Keep a list of all the products you use

(including prescription/nonprescription drugs and herbal products) and share it with your doctor and pharmacist. Do not start, stop, or change the dosage of any medicines without your doctor's approval. Overdose This medicine may be harmful if swallowed. If someone has overdosed and has serious symptoms such as passing out or trouble breathing, call 911. Otherwise, call a poison control center right away. US residents can call their local poison control center at 1-800-222-1222. Canada residents can call a provincial poison control center. Do not share this product with others. This product may bleach clothing and other items. Not applicable. Store at room temperature. This product loses its strength if frozen or stored at high temperature. Keep the container tightly closed when not in use. Keep all medications away from children and pets. Do not flush medications down the toilet or pour them into a drain unless instructed to do so. Properly discard this product when it is expired or no longer needed. Consult your pharmacist or local waste disposal company.

---

---

## **Side Effects**

---

## **Uses**

---

---

---

---

---

---

---

---

## **Interactions**

---

---

## **Other Details**

---

---