## iMedix: Your Personal Health Advisor.

## Pityriasis Rosea

$\sim$		•	
( )	verv	X/IA	<b>TX</b> 7
<b>\</b> ,	V ( )	77 IC	**

## What is it

Pityriasis Rosea – Daily Do's of Dermatology What is Pityriasis Rosea? Pityriasis Rosea is a common skin condition that causes a rash. It typically starts with a large, slightly raised, scaly patch known as the 'herald patch' and then spreads with smaller patches. What causes Pityriasis Rosea? The exact cause of Pityriasis Rosea is unknown, but it's believed to be caused by a virus. It is not considered contagious. How is Pityriasis Rosea diagnosed? Diagnosis is usually made based on the appearance of the rash. A doctor may perform a physical examination and, in some cases, may recommend skin tests to rule out other conditions. What are the symptoms of Pityriasis Rosea? Symptoms include a herald patch followed by smaller patches, mild itching, and sometimes flu-like symptoms before the rash appears. How is Pityriasis Rosea treated? Treatment is usually unnecessary as the condition often resolves on its own within 6-8 weeks. Treatment options for severe itching may include topical steroids or antihistamines. Can Pityriasis Rosea be prevented? Since the cause is not fully understood, there are no known prevention methods for Pityriasis Rosea. Does Pityriasis Rosea leave scars? Pityriasis Rosea usually doesn't leave scars. However, some people may experience temporary dark or light spots on the skin where the rash was, especially in individuals with darker skin. Although the exact cause of pityriasis rosea is unknown, it is believed to be associated with a viral infection, particularly human herpesvirus 6 or 7. The condition is not considered contagious and typically affects children and young adults aged 10-35 years. Treatment for pityriasis rosea focuses on relieving symptoms and speeding up the healing process. Over-the-counter anti-itch creams, oatmeal baths, and antihistamines can be used to alleviate itching. In severe cases, oral corticosteroids or ultraviolet light therapy may be prescribed by a healthcare professional. Pityriasis rosea is generally a self-limiting condition that resolves on its own without any long-term complications. It rarely recurs once it has cleared. However, in some cases, the rash may cause temporary cosmetic concerns due to its appearance. Pityriasis Rosea Symptoms General symptoms of Pityriasis Rosea include: Red or pinkish oval-shaped rash Raised, scaly patches Itching, which may worsen at night Rash forms in stages: – Herald patch: larger patch, usually on the back, chest, or abdomen – Smaller patches: typically appear on the torso, arms, and legs Mild to moderate fever Fatigue or feeling run-down Headache Sore throat Beneficial Insights Zovirax (acyclovir) is an antiviral medication commonly used to treat herpes infections, while Daklinza (daclatasvir) is a revolutionary drug used to treat hepatitis C. Both drugs have shown great efficacy in fighting these viral infections. Diagnosing Pityriasis Rosea To diagnose Pityriasis Rosea, healthcare professionals typically use a combination of the following methods: Physical Examination: The doctor will examine the affected skin areas and evaluate the appearance and distribution of the rash. They may also inquire about the patient's medical history and any symptoms they are experiencing. Wood's Lamp Examination: A Wood's lamp emits ultraviolet light that can help identify certain skin conditions. In some cases, the doctor may use a Wood's lamp to examine the rash caused by Pityriasis Rosea. This examination can show a distinctive fluorescent pattern under the lamp. Dermoscopy: Dermoscopy involves using a handheld device called a dermatoscope to examine the skin closely. It provides magnified views and enhanced visuals of the affected area, aiding in the diagnosis of Pityriasis Rosea. Skin Biopsy: In rare cases where the diagnosis is uncertain or the rash is not typical, a skin biopsy may be performed. During this procedure, a small sample of skin tissue is removed and sent to a laboratory for analysis. The examination of the tissue under a microscope can help confirm the diagnosis and rule out other skin conditions. It is important to consult with a healthcare professional, such as a

ermatologist, for an accurate diagnosis of Pityriasis Rosea. They will consider the patient's symptoms, nedical history, and perform the necessary examinations to confirm the condition. It is advised not to self-iagnose or rely solely on online information.			
•:			
•:			
•:			
•:			