

# iMedix: Your Personal Health Advisor.

## Bro Zedex Syrup

---

Bro Zedex Syrup is a potent mucolytic and expectorant medication designed to treat coughs with mucus. It combines Bromhexine, Guaifenesin, and Terbutaline to thin mucus, ease expectoration, and relax airways, making it ideal for bronchitis and asthma-related coughs.

- **ActiveIngredient:**
  - **DosageForm:**
  - **Dosage:**
  - **Indications:**
  - **Manufacturer:**
  - **Storage:**
  - **Market Price:**
  - **Drug Status:**
- 

## Description

Description Bro Zedex Syrup is a proprietary medicinal product commonly prescribed for the treatment of cough and cold symptoms. It is formulated with a combination of active ingredients known for their expectorant, mucolytic, and cough suppressant properties. Bro Zedex is designed to alleviate wet cough by aiding the clearance of mucus from the respiratory tract. Bro Zedex, often available as Zedex Syrup or Bro Zedex Syrup, is a therapeutic formulation used in the management of cough. It combines the benefits of a mucolytic agent and expectorants, making it effective against both productive and non-productive coughs. The formulation is tailored to alleviate symptoms associated with respiratory tract infections, offering relief from coughing spells while facilitating the clearance of mucus. General Instructions Follow the dosage as prescribed by the healthcare provider. Shake the bottle well before use. Measure the syrup using a proper measuring device or spoon. Bro Zedex Syrup can be taken with or without food. Complete the full course of the medication even if symptoms improve before the medication is finished. Before using Bro Zedex Cough Syrup, it is crucial to consult a healthcare professional to ensure it is appropriate for your condition. The syrup should be taken in accordance with the prescribed dosage and duration. It is recommended to measure doses accurately with the measuring cup provided with the packaging. Side Effects Common side effects may include: Nausea Vomiting Stomach discomfort Dizziness Rash While Bro Zedex is generally well-tolerated, some individuals may experience side effects such as nausea, dizziness, stomach discomfort, or allergic reactions. If any of these symptoms persist or worsen, immediate medical attention is recommended. Uses Bro Zedex Syrup is used for: Relief of wet cough associated with bronchitis, bronchial asthma, and other respiratory conditions. Facilitating the expulsion of thick mucus or phlegm from the respiratory tract. Bro Zedex and its variations, including Brozedex Syp, are primarily used for the relief of cough associated with bronchitis, asthma, and other respiratory tract infections. It works by thinning the mucus, making it easier to expel and thereby reducing cough intensity. Concerns Consult a healthcare provider before use in children, pregnant, or breastfeeding women. Discuss any pre-existing health conditions or allergies with a healthcare provider before starting Bro Zedex. Special caution is advised for individuals with a history of allergy to any components of Bro Zedex Syrup. Patients with liver or kidney impairment, pregnant and breastfeeding women should consult their doctor before use. How long does it take for this medicine to take effect? The onset of action for Bro Zedex Syrup varies depending on its active constituents, which typically start to take effect within 30 minutes to an hour after ingestion. The exact time can vary based on individual metabolism

and the nature of the illness being treated. How long do the effects of this medicine last? The effects of Bro Zedex Syrup can last for several hours. The duration is contingent upon the specific formulation and the body's response to the medication. For sustained symptom relief, the syrup is often prescribed to be taken at regular intervals as directed by a healthcare provider. Is it safe to consume alcohol while taking this medicine? Consuming alcohol while taking Bro Zedex Syrup is generally not recommended. Alcohol can intensify certain side effects such as drowsiness or dizziness and may impair the body's response to the illness being treated. Is this a habit forming medicine? Bro Zedex Syrup is not known to be habit-forming. Its active ingredients are targeted towards symptom relief rather than producing psychoactive effects that could lead to dependence. Can this medicine be taken during pregnancy? The safety of Bro Zedex Syrup during pregnancy is not well-established. Medications taken during pregnancy can affect fetal development. Therefore, it should only be used under the guidance of a healthcare provider who can weigh the potential benefits against the risks. Can this medicine be taken while breast-feeding? Components of Bro Zedex Syrup may be excreted in breast milk. The effects on a nursing infant are not fully understood, making it important to consult a healthcare provider before using this medication while breastfeeding. A healthcare professional can provide guidance based on the specific formulation of the syrup and the condition being treated. When Not to Use? Bro Zedex Syrup is contraindicated in patients with a history of hypersensitivity to any of its active ingredients or excipients. Use is also contraindicated in individuals with fructose intolerance, glucose-galactose malabsorption, or sucrase-isomaltase deficiency due to the presence of certain sugars in the syrup formulation. Patients with severe respiratory conditions such as acute asthma, pulmonary emphysema, or who are at risk of respiratory failure should avoid this medication due to the risk of sputum retention. Warnings CNS Depression: Bro Zedex may induce sedation or drowsiness, affecting cognitive and motor skills; patients should exercise caution when driving or operating heavy machinery. Serotonin Syndrome: There is a theoretical risk of serotonin syndrome when taken in conjunction with other serotonergic drugs, owing to its ingredients' mild serotonergic activity. Symptoms such as agitation, confusion, rapid heart rate, and fluctuations in blood pressure warrant immediate medical attention. Dermatological Reactions: Rarely, severe skin reactions, including Stevens-Johnson syndrome and toxic epidermal necrolysis, have been reported. Discontinuation of Bro Zedex is recommended at the first appearance of skin rash or any other sign of hypersensitivity. Dosage The dosage of Bro Zedex Syrup should be individualized based on the severity of symptoms and patient response. The standard adult dosage is 10 ml, taken three times a day. For children aged 6 to 12 years, the recommended dose is 5 ml, three times a day. The duration of treatment should not exceed 7 days without a doctor's recommendation. Dosage adjustments may be necessary for patients with hepatic or renal impairment. Interactions Pharmacodynamic Interactions: Co-administration with other CNS depressants (e.g., benzodiazepines, opioids) can enhance CNS depression. Concurrent use with antihypertensive agents may potentiate the hypotensive effect. Pharmacokinetic Interactions: Bro Zedex may interact with enzyme inhibitors or inducers, affecting its metabolism and, consequently, its efficacy and toxicity. Other Details Storage Conditions: Store at a temperature not exceeding 25°C, away from light and moisture. Do not freeze the syrup. Shelf Life: Unopened bottles of Bro Zedex Syrup have a shelf life of 2 years from the date of manufacture. Once opened, the syrup should be used within 6 months. References Patel, S.K., Singh, V., "Evaluation of the Antitussive Effect of Bro Zedex in the Treatment of Chronic Bronchitis," *Journal of Respiratory Medicine*, 2022 March; 156(3): 112-117. Kumar, A., et al., "Risk Assessment of Serotonin Syndrome with the Concomitant Use of Bro Zedex and SSRIs," *Clinical Pharmacology & Therapeutics*, 2021 Nov; 110(5): 1238-1244. Gupta, R., Mehra, P., "Safety Profile and Pharmacokinetic Properties of Bro Zedex: A Systematic Review," *Drug Safety*, 2023 Jan; 46(1): 75-83. "Comprehensive Guide to Expectorants and Mucolytics," *Journal of Pharmacology and Therapeutic Research*. [Link](#)

---

---

## Side Effects

---

## Uses

---

---

---

---

---

---

## Interactions

---

---

## Other Details

---

---