

iMedix: Your Personal Health Advisor.

Caverta

Caverta is an oral medication featuring sildenafil, formulated to assist adult men in achieving and sustaining penile erections suitable for sexual activity by enhancing blood flow upon sexual stimulation. It is presented as a branded alternative in the sildenafil market.

- **ActiveIngredient:** Sildenafil Citrate
 - **DosageForm:** Oral tablet
 - **Dosage:** 25mg, 50mg, 100mg
 - **Indications:** Erectile dysfunction
 - **Manufacturer:** Ranbaxy Laboratories
 - **Storage:** Keep at controlled room temperature (typically 15-30°C or 59-86°F), shielded from excess moisture and pervasive light.
 - **Market Price:** 4.18
 - **Drug Status:** Prescription Only
-

Description

Almost every man perceives impotence as a disaster. The fact that sexual victories are one of the methods of self-affirmation of a man explains it. That's a proof of his viability in all spheres of life activity, including sex. General information However, the statistics of recent years shows that sexual impotence today is quite common among men not only older, but also quite young. Doctors explain this by many factors which negatively affect the male body. This includes daily stress, a sedentary lifestyle, an unhealthy diet, and a passion for alcohol and smoking. These are the main causes of such a diagnosis. The causes of sexual disorder development are also complications of some previous diseases, congenital malformations of the sexual organ and others. Two out of ten men suffer from sexual disorder. According to statistics only every tenth man, facing sexual dysfunction, refers to a health specialist. Everyone know, that in 90% of cases man can treat his ED problems. Erectile dysfunction Erectile disorder is one of the most important problems of modern urology. Since it gives significant effect to the quality of life of a man, largely determines his emotional and physical health. It addresses the issues of sexology, psychology and organic health of a man. Therefore requires a special approach to its solution. Therefore you should have a participation of not only urologists, andrologists, but also doctors of other specialties. Caverta medicine (Sildenafil Citrate) is the most powerful drug to fight erectile problems in men and help to start living normal life again. What is Caverta? Caverta is a medication used to treat erectile dysfunction (ED) in men. It contains sildenafil citrate, which is the same active ingredient found in Viagra. Caverta helps in achieving and maintaining an erection suitable for sexual activity. How does Caverta work? Caverta works by inhibiting the enzyme phosphodiesterase type 5 (PDE5), leading to increased blood flow to the penis and helping achieve and maintain an erection when sexually aroused. What is the recommended dosage of Caverta? The recommended starting dose of Caverta is 50 mg, taken approximately one hour before sexual activity. Depending on effectiveness and tolerability, the dosage can be adjusted to 100 mg or reduced to 25 mg. What are the side effects of Caverta? Common side effects of Caverta include headaches, flushing, upset stomach, nasal congestion, dizziness, and blurred vision. In rare cases, it can cause more severe side effects like priapism, sudden hearing loss, and heart attack symptoms. Can Caverta be taken with alcohol? Alcohol consumption should be limited or avoided when taking Caverta, as it can increase the likelihood of side effects and can reduce the effectiveness of the medication in achieving an erection. How long does the effect of Caverta last? The effects of Caverta can last

for up to 4-6 hours, but this can vary depending on individual factors such as metabolism, age, and other health conditions. Is Caverta safe for everyone? Caverta is not suitable for everyone. Men with certain medical conditions, particularly those with heart problems or taking medications containing nitrates, should not use Caverta. Consultation with a healthcare provider is essential. Does Caverta require a prescription? Yes, Caverta is a prescription medication. A healthcare provider should be consulted to determine if it is appropriate for your condition. Can Caverta be used to treat conditions other than ED? While primarily used for ED, sildenafil citrate, the active ingredient in Caverta, is also used to treat pulmonary arterial hypertension (PAH). Its use for other conditions should be under medical guidance. Can women use Caverta? Caverta is not recommended for use by women. It is specifically formulated for treating erectile dysfunction in men. Sildenafil substance Sildenafil has undergone multiple laboratory and clinical trials, which prove its safe effect on the male body. Doctor select the dosage individually for each man. In addition, the drug Caverta made for men only. It eliminates such conditions consequence as fatigue, stress, lack of sleep and maintaining a sedentary lifestyle. It improves potency, and enhances sexual desire. Doctors make sure that Caverta prevents development of the psychological and physiological problems in terms of erection. Moreover, Sildenafil drugs help to combat the signs of impotence in smokers, and is great for supporting sexual tonus in individuals with diabetes diagnose. Precautions Before you start taking the drug Caverta, you must inform the doctor about cases of an allergic reaction to medications. Same as about smoke habits, also about cases of an erection which last several hours and if you recently lost a large amount of fluid. Contraindications: Hypersensitivity to Sildenafil; Simultaneous administration of tablets with a similar effect; Simultaneous administration of nitrates; Predisposition to bleeding; Chronic and acute diseases of the gastrointestinal tract; Acute renal failure; Chronic diseases of the cardiovascular system; Women and adolescents under the age of 18 can't use this medication. There are many individuals who have diseases of the cardiovascular system. They must use Sildenafil with caution! Because of the risk of exacerbation of symptomatic development against the background of the peak of sexual activity. Dosage There is a standard regimen of taking such drugs as Caverta. As a rule one tablet should be taken per day. The drug should never be taken in a dosage exceeding the recommended because of the high probability of side effects and overdose symptoms development. The attending physician can reduce the dosage for those patients who are over 65 years old or have a history of serious liver or kidney disease. How to take? The tablet should be washed down with plenty amount of water. Also it has to be stated that from the moment of taking the drug Caverta before the onset of the expected erection may take from 20 to 40 minutes. Caverta is effective for about five hours. After Caverta enters the body, the amount of blood flow toward penis is increased. The increased blood circulation of the genital organs causes a natural erection, but only if there is a natural arousal. However, it should be recalled that before using any drugs based on Sildenafil, it is necessary to read the instructions and consult a doctor. These drugs have a number of contraindications, side effects and are incompatible with a number of drugs. Side-effects Acceptance of Caverta drug may cause the following side effects: Short headaches, slight dizziness; Feeling hot face; Disturbance of color perception, photosensitivity. The development of severe allergic reactions to the drug Caverta are very rare. However, you should seek immediate medical assistance if there are manifestations of any serious symptoms of an allergic reaction, including rash, itching, and swelling. As a rule, these side effects disappear quickly. However, many men have some of the above symptoms while taking Sildenafil. This condition is long-lasting and gives you discomfort, you should immediately stop taking the drug and report it to your doctor, who will either replace the drug or correct the dose. Overdose An overdose of the drug Caverta can occur only as a result of neglecting the rules of taking the drug and self-increasing doses. Symptoms of overdose are aggravation of side effects. In case of overdose symptoms, you should immediately stop taking the pills and seek advice from your doctor or contact a poison control center or emergency room immediately. Interactions A number of drugs require discussion with a physician for simultaneous use with Sildenafil, such as Doxazosin, Tamsulosin, Amlodipine. In addition, you can't combine Sildenafil-containing drugs with such antifungal drugs as Itraconazole, Ketoconazole. Among the drugs that exclude joint use include anticoagulants, some barbiturates, beta-blockers, HIV inhibitors, other drugs for the treatment of erectile disorders, drugs for high blood pressure treatment, as well as some drugs against epilepsy. In the case of treatment with the above list of the preparations, it may be necessary to change the dose of their administration or to closely monitor the manifestation of side effects. Also, many other drugs can interact with Sildenafil, so be sure to tell your doctor about all the medicines you are taking, even those that are not in the list. Alcohol and Caverta Today,

erectile dysfunction is quite common condition in men of different ages. The reasons are both psychological factors and some diseases, such as diabetes. The modern pharmaceutical industry offers a variety of drugs that can give at increasing potency. Sildenafil, produced in tablet form for oral administration, is one of the highly effective drugs. The action of Caverta is aimed at normalizing blood circulation in the genitals, which ensures a long erection. As a rule, most romantic encounters with women accompanies by drinking alcoholic beverages, which can not only reduce the effect of the drug, but also, if you combine them with the drug, it may result some health problems. Health and alcohol beverages Firstly, we should note, that a small amount of alcohol will not cause serious issues. However, since each male body is rather individual it is difficult to foresee the possible consequences. Secondly, simultaneous use of Sildenafil and alcohol result in negative impact on the pelvic organs. As well as in increase the load on the liver, which is responsible for the Sildenafil-containing drug processing and the ethyl alcohol splitting. Also the simultaneous use of Sildenafil and alcohol adversely affect the gastrointestinal tract, destroying the mucosa, which leads to the peptic ulcer development. Thirdly, the adverse effects of alcohol and Sildenafil co-administration do not always develop. At the same time doctors say, that high doses of alcohol significantly reduce the effect of Caverta. Therefore, preventing expected erection and making the medication intake useless.

Side Effects

Uses

Interactions

- -
 -
 -
-

Other Details
