

# iMedix: Your Personal Health Advisor.

## Fabior Foam

---

Search for medical details concerning Fabior topical on iMedix including its uses, side effects and safety, interactions, pictures, warnings and user ratings.

- **ActiveIngredient:**
- **DosageForm:**
- **Dosage:**
- **Indications:**
- **Manufacturer:**
- **Storage:**
- **Market Price:**
- **Drug Status:**

---

## Description

Side Effects Itching, redness, irritation, burning/stinging, scaling, dry skin, or pain at the application site may occur. If any of these effects last or get worse, tell your doctor or pharmacist promptly. Remember that this medication has been prescribed because your doctor has judged that the benefit to you is greater than the risk of side effects. Many people using this medication do not have serious side effects. Tell your doctor right away if you have any serious side effects, including: severe redness/irritation/peeling. A very serious allergic reaction to this drug is rare. However, get medical help right away if you notice any symptoms of a serious allergic reaction, including: rash, itching/swelling (especially of the face/tongue/throat), severe dizziness, trouble breathing. This is not a complete list of possible side effects. If you notice other effects not listed above, contact your doctor or pharmacist. In the US – Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088 or at [www.fda.gov/medwatch](http://www.fda.gov/medwatch). In Canada – Call your doctor for medical advice about side effects. You may report side effects to Health Canada at 1-866-234-2345. Uses This medication is used to treat certain skin conditions, including psoriasis and acne.

Different brands, dosage forms, and strengths are approved for different uses, so be sure to check the uses for your brand, dosage form, and strength of this medication. Tazarotene is a retinoid product related to Vitamin A. It is thought to work by affecting skin cell growth. For the best effect, this medication should be used with a total skin care program. How to use Fabior Foam Read the Patient Information Leaflet if available from your pharmacist before you start using tazarotene and each time you get a refill. If you have any questions, ask your doctor or pharmacist. This medication is for use on the skin only. Wash and dry your hands before applying the medication. Apply this medication to the skin as directed by your doctor, usually once daily at bedtime. Wash your hands after applying, unless you are treating your hands for psoriasis. If this medication accidentally gets on areas you do not need to treat, wash it off to help prevent skin irritation. Do not apply this medication to skin that is cut, scraped, sunburned, or affected by certain other skin conditions (eczema, seborrheic dermatitis). Avoid getting this medication in your eyes, mouth, or on your eyelids or lips. If this happens, rinse right away with plenty of cool water. If you are using a product that is for treating psoriasis, apply a thin film to cover only the psoriatic plaques. If a bath or shower is taken before application, make sure skin is dry before applying. If a moisturizer is used, apply it at least an hour before applying this medication. If you are using a product that is for treating acne, wash and dry the affected area(s). After skin is dry, apply a thin film to acne. If you are using the lotion to treat acne on the face, dot onto the chin, cheeks, nose, and forehead, then gently rub over the entire face. Use enough to cover all of the affected area(s). If you

are also using other acne medication (such as benzoyl peroxide) on your skin, apply one product in the morning and one product in the evening to separate the application times. If a moisturizer is used, make sure to allow skin to dry before applying either the moisturizer or tazarotene. If you are using the foam, shake the can before each use. The foam is flammable. Avoid smoking or going near an open flame while applying the medication. Do not cover, bandage, or wrap the affected area(s). Do not apply this medication to normal, healthy skin. Use this medication regularly to get the most benefit from it. To help you remember, use it at the same time each day. Do not use large amounts or apply this medication more often than directed, or use it for longer than prescribed. Your condition will not improve faster, and your risk of side effects will increase. Since this drug is absorbed through the skin and may harm an unborn baby, women who are pregnant or who may become pregnant should not handle this medication. Tell your doctor if your condition does not get better or if it gets worse. Precautions Before using tazarotene, tell your doctor or pharmacist if you are allergic to it; or to vitamin A-related drugs (other retinoids such as isotretinoin); or if you have any other allergies. This product may contain inactive ingredients, which can cause allergic reactions or other problems. Talk to your pharmacist for more details. Before using this medication, tell your doctor or pharmacist your medical history, especially of: other skin conditions (such as eczema, seborrheic dermatitis, sunburn, sun sensitivity). This medication may make you more sensitive to the sun. Limit your time in the sun. Avoid tanning booths and sunlamps. Use sunscreen daily and wear protective clothing when outdoors. Tell your doctor right away if you get sunburned or have skin blisters/redness. Wait until your skin has completely recovered from a sunburn before using this medication. Wind or cold weather may also be irritating to the skin while using this medication. Avoid electrolysis, waxing, and chemical depilatories for hair removal on the treated areas while using this product. Before having surgery, tell your doctor or dentist about all the products you use (including prescription drugs, nonprescription drugs, and herbal products). This medication must not be used during pregnancy. It may harm an unborn baby. Your doctor may order a pregnancy test within 2 weeks before starting this medication. This medication should be started during a normal menstrual period. Discuss the use of reliable forms of birth control (such as condoms, birth control pills) with your doctor. If you become pregnant or think you may be pregnant, tell your doctor right away. Since this drug is absorbed through the skin and may harm an unborn baby, women who are pregnant or who may become pregnant should not handle this medication. It is unknown if this drug passes into breast milk. To avoid direct contact, breast-feeding women should not apply this medication to the nipple and areola. Consult your doctor before breast-feeding. Interactions Drug interactions may change how your medications work or increase your risk for serious side effects. This document does not contain all possible drug interactions. Keep a list of all the products you use (including prescription/nonprescription drugs and herbal products) and share it with your doctor and pharmacist. Do not start, stop, or change the dosage of any medicines without your doctor's approval. Some products that may interact with this drug are: vitamin A products, hair perming solutions, other skin products with strong drying effects, skin products containing alcohol/lime/spice (such as shaving lotions, astringents such as calamine lotion, perfume), soaps/shampoos/cleansers that are medicated/abrasive. Does Fabior Foam interact with other drugs you are taking? Enter your medication into the iMedix interaction checker Overdose This medicine may be harmful if swallowed. If someone has overdosed and has serious symptoms such as passing out or trouble breathing, call 911. Otherwise, call a poison control center right away. US residents can call their local poison control center at 1-800-222-1222. Canada residents can call a provincial poison control center. Symptoms of overdose may include: severe redness/irritation/peeling. Do not share this medication with others. If you miss a dose, apply it as soon as you remember. If it is near the time of the next dose, skip the missed dose. Apply your next dose at the regular time. Do not apply extra medicine to make up for the missed dose. Different brands of this medication have different storage needs. Check the product package for instructions on how to store your brand, or ask your pharmacist. Keep all medications away from children and pets. Do not flush medications down the toilet or pour them into a drain unless instructed to do so. Properly discard this product when it is expired or no longer needed. Consult your pharmacist or local waste disposal company.

---

---

## Side Effects

---

### Uses

---

---

---

---

---

---

### Interactions

---

---

### Other Details

---

---