

iMedix: Your Personal Health Advisor.

First Aid Antibiotic Ointment

Search for medical details concerning First Aid Antibiotic topical on iMedix including its uses, side effects and safety, interactions, pictures, warnings and user ratings.

- **ActiveIngredient:**
 - **DosageForm:**
 - **Dosage:**
 - **Indications:**
 - **Manufacturer:**
 - **Storage:**
 - **Market Price:**
 - **Drug Status:**
-

Description

Side Effects This product usually has no side effects. If you have any unusual effects, contact your doctor or pharmacist promptly. If your doctor has directed you to use this medication, remember that your doctor has judged that the benefit to you is greater than the risk of side effects. Many people using this medication do not have serious side effects. Rarely, use of this medication may result in other types of skin infections (such as fungal or other bacterial infections). Contact your doctor if you notice any unusual skin symptoms or if your condition does not improve. A very serious allergic reaction to this product is rare. However, get medical help right away if you notice any symptoms of a serious allergic reaction, including: rash, itching/swelling (especially of the face/tongue/throat), severe dizziness, trouble breathing. This is not a complete list of possible side effects. If you notice other effects not listed above, contact your doctor or pharmacist. In the US – Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088 or at www.fda.gov/medwatch. In Canada – Call your doctor for medical advice about side effects. You may report side effects to Health Canada at 1-866-234-2345. **Uses** This medication is used to prevent and treat minor skin infections caused by small cuts, scrapes, or burns. It is available without a prescription for self-medication. Do not use this product over large areas of the body. Ask your doctor first before using this product for serious skin injuries or infections (such as deep cuts, puncture wounds, animal bites, serious burns). A different treatment may be necessary for these types of conditions. This product contains neomycin, bacitracin, and polymyxin, antibiotics that work by stopping the growth of bacteria. This medication prevents/treats only bacterial skin infections. It will not work for other types of skin infections (such as infections caused by fungi, viruses). Unnecessary use or misuse of any antibiotic can lead to its decreased effectiveness. **How to use First Aid Antibiotic Ointment** This medication is for use on the skin only. Follow all directions on the product package or use as directed by your doctor. If you have any questions, ask your doctor or pharmacist. Clean and dry the affected skin area. If you are using the ointment, wash your hands first. Then apply a small amount of medication (no more than can fit on your finger tip) in a thin layer on the skin and rub in gently, usually 1 to 3 times a day. Wash your hands after applying the ointment. If you are using the spray, shake the container well before using, then spray a small amount on the affected area as directed, usually 1 to 3 times a day. You may cover small treatment areas with a sterile bandage. Do not use large amounts of this medication or apply this more often or for a longer period than directed. Your condition will not clear faster, but the risk of side effects may be increased. Do not use this product for longer than 1 week unless directed by your doctor. Do not use this medication on irritated skin in

a child's diaper area unless directed by the doctor. After applying the medication to the diaper area, do not use tight-fitting diapers or plastic pants. Avoid getting this medication in your eyes or inside the nose or mouth. If this occurs, wipe off the medication and rinse thoroughly with water. Use this medication regularly in order to get the most benefit from it. To help you remember, use it at the same time(s) each day. If your condition does not improve after a few days or if it worsens, or if you think you may have a serious medical problem, get medical help right away. Precautions Before using this product, tell your doctor or pharmacist if you are allergic to neomycin, bacitracin, or polymyxin; or to aminoglycoside antibiotics (such as amoxil, zithromax, flagyl, levofloxacin, ciprofloxacin); or if you have any other allergies. This product may contain inactive ingredients, which can cause allergic reactions or other problems. Talk to your pharmacist for more details. During pregnancy, this medication should be used only when clearly needed. Discuss the risks and benefits with your doctor. It is unknown if the medications in this product pass into breast milk. Consult your doctor before breast-feeding. Interactions Drug interactions may change how your medications work or increase your risk for serious side effects. This document does not contain all possible drug interactions. Keep a list of all the products you use (including prescription/nonprescription drugs and herbal products) and share it with your health care professional. Do not start, stop, or change the dosage of any medicines without your doctor's approval. Overdose This medicine may be harmful if swallowed. If someone has overdosed and has serious symptoms such as passing out or trouble breathing, call 911. Otherwise, call a poison control center right away. US residents can call their local poison control center at 1-800-222-1222. Canada residents can call a provincial poison control center. Symptoms of overdose may include: hearing problems, change in the amount of urine. Keep all regular medical and lab appointments. If you miss a dose, apply the medication as soon as you remember. If it is near the time of the next dose, skip the missed dose. Use your next dose at the regular time. Do not double the dose to catch up. Store at room temperature. Keep all medications away from children and pets. Do not flush medications down the toilet or pour them into a drain unless instructed to do so. Properly discard this product when it is expired or no longer needed. Consult your pharmacist or local waste disposal company.

Side Effects

Uses

Interactions

Other Details
