

iMedix: Your Personal Health Advisor.

Radiaplexrx Gel

Search for medical details concerning RadiaPlexRx topical on iMedix including its uses, side effects and safety, interactions, pictures, warnings and user ratings.

- **ActiveIngredient:**
- **DosageForm:**
- **Dosage:**
- **Indications:**
- **Manufacturer:**
- **Storage:**
- **Market Price:**
- **Drug Status:**

Description

Side Effects Remember that this medication has been prescribed because your doctor has judged that the benefit to you is greater than the risk of side effects. Many people using this medication do not have serious side effects. A very serious allergic reaction to this drug is rare. However, get medical help right away if you notice any symptoms of a serious allergic reaction, including: rash, itching/swelling (especially of the face/tongue/throat), severe dizziness, trouble breathing. This is not a complete list of possible side effects. If you notice other effects not listed above, contact your doctor or pharmacist. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088 or at www.fda.gov/medwatch. In Canada – Call your doctor for medical advice about side effects. You may report side effects to Health Canada at 1-866-234-2345. **Uses** This medication is used to protect skin ulcers, burns, or wounds from irritation so that the skin can heal properly. Some products are also used to help relieve itching and pain from various skin conditions. Hyaluronate is the same as a natural substance that is found in your body. It works by forming a protective layer over the affected area. **How to use Radiaplexrx Gel** Use this product on the skin only. If your product is applied with your hands, wash your hands before and after each use. Before using, clean the affected area as directed by your doctor. Gently apply a thin layer of the medication to the affected area(s) of skin as directed by your doctor, usually 2 to 3 times daily. If your product is a liquid suspension, shake the container well before each use. How often you apply the medication is based on your medical condition and response to treatment. Use this medication regularly to get the most benefit from it. To help you remember, use it at the same times each day. Tell your doctor if your condition does not get better or if it gets worse. **Precautions** Before using hyaluronate, tell your doctor or pharmacist if you are allergic to it; or if you have any other allergies. This product may contain inactive ingredients, which can cause allergic reactions or other problems. Talk to your pharmacist for more details. Before using this medication, tell your doctor or pharmacist your medical history. If you are going to have an MRI test, tell testing personnel that you are using this product. Some brands of this medication may contain metals that can cause serious burns during an MRI and should not be used before MRI imaging. Ask your doctor or pharmacist for questions about your particular brand. During pregnancy, this medication should be used only when clearly needed. Discuss the risks and benefits with your doctor. It is unknown if this drug passes into breast milk. Consult your doctor before breast-feeding. **Overdose** This medicine may be harmful if swallowed. If someone has overdosed and has serious symptoms such as passing out or trouble breathing, call 911. Otherwise, call a poison control center right away. US residents can call their local poison control

center at 1-800-222-1222. Canada residents can call a provincial poison control center. Do not share this medication with others. Doing so may spread infection. This medication has been prescribed for your current condition only. Do not use it later for another skin condition unless told to do so by your doctor. Some brands of this medication may also contain other ingredients (such as aloe vera, allantoin) which may help provide moisture or soothe the affected area(s). Ask your doctor or pharmacist if you have any questions. If you miss a dose, use it as soon as you remember. If it is near the time of the next dose, skip the missed dose. Use your next dose at the regular time. Do not double the dose to catch up. Store at room temperature. Keep all medications away from children and pets. Do not flush medications down the toilet or pour them into a drain unless instructed to do so. Properly discard this product when it is expired or no longer needed. Consult your pharmacist or local waste disposal company. Interactions Drug interactions may change how your medications work or increase your risk for serious side effects. This document does not contain all possible drug interactions. Keep a list of all the products you use (including prescription/nonprescription drugs and herbal products) and share it with your doctor and pharmacist. Do not start, stop, or change the dosage of any medicines without your doctor's approval. Some products that may interact with this drug are: certain disinfectants (such as benzalkonium chloride).

Side Effects

Uses

Interactions

Other Details
