

# iMedix: Your Personal Health Advisor.

## Super P Force Jelly

---

Super P Force jelly has a pleasant fruity aroma. No special training is required to administer the remedy. It is enough to take one dose 40-60 minutes before sexual intercourse.

- **ActiveIngredient:**
  - **DosageForm:**
  - **Dosage:**
  - **Indications:**
  - **Manufacturer:**
  - **Storage:**
  - **Market Price:**
  - **Drug Status:**
- 

## Description

Basic Information Modern life puts many men in such conditions that it is often impossible for them to preserve this magnificent gift of nature. Incorruptible statistics: more than a third of the male population of the planet Earth have potency disorders and they are not able to conduct a full sexual intercourse. There are many people who have lost hope for the joy of intimate communication with a loved one, self-confidence, suffering from severe inferiority complexes and lost family relationships. Super P Force Jelly made by a company with a well-known name Sunrise Remedies Pvt. Ltd. The company has the most advanced scientific research laboratories. There is a strict quality control at each stage of the technological process. How long does it take for this medicine to take effect? The onset of action for sildenafil citrate (for erectile dysfunction) in Super P Force Jelly is typically within 30 to 60 minutes after consumption, whereas dapoxetine (for premature ejaculation) requires approximately 1 to 3 hours to reach maximum effect. Thus, the product should ideally be taken about 1 to 2 hours before anticipated sexual activity. How long do the effects of this medicine last? The effects of sildenafil can last for 4 to 6 hours, allowing for an extended period of efficacy for treating erectile dysfunction. Dapoxetine's effects last for about 1 to 3 hours, providing temporary relief from premature ejaculation. Is it safe to consume alcohol while taking this medicine? It is advisable to avoid or limit alcohol consumption while taking Super P Force Jelly. Alcohol can reduce the effectiveness of sildenafil and increase the risk of side effects such as dizziness, drowsiness, slow reaction times, and even cardiovascular complications. Additionally, alcohol may diminish the effectiveness of dapoxetine in treating premature ejaculation. Is this a habit forming medicine? Neither sildenafil nor dapoxetine is considered habit-forming in terms of creating a physiological dependency. However, psychological dependence on medication for sexual performance can occur, and users should be mindful of the potential for psychological reliance. Can this medicine be taken during pregnancy? Super P Force Jelly is not intended for use in women and therefore should not be used during pregnancy. Can this medicine be taken while breast-feeding? Super P Force Jelly is not intended for use in women and therefore should not be used while breast-feeding. What Does Super P Force Jelly treat? The aim of this preparation is to eliminate problems with potency and prevent premature ejaculation, which is achieved by application of two active substances in one package. In turn, it allows a man to control the duration of coitus. Who should use it? This medication exists for all people who suffer from erectile disorders or premature ejaculation. It is really effective against any severity level of such disorders and as well as against any origin of these problems. Composition: This drug consists of two active substances: Sildenafil and Dapoxetine. Their combination provides not only a powerful but

surprisingly stable result. The action of Sildenafil (such as sildenafil, tadalafil, vardenafil, kamagra, suhagra, tadacip, revatio, cenforce) is to provide a firm erection during coitus. It belongs to the group of inhibitors of phosphodiesterase of the fifth type. The mechanism of its action is to stimulate the production of nitric oxide and delay the production of the enzyme PDE-5. Nitric oxide is responsible for vascular tone depression in the penis and for filling its vessels with blood during arousal. That is, it starts the mechanism of erection. The action of Dapoxetine prolongs the time of sexual intercourse. Hormone serotonin controls the process of ejaculation, which produces in the body before ejaculation. Dapoxetine neutralizes this substance, thereby prolonging the friction time by 3-4 times. What is super P Force Jelly? The trend to buy Super P Force jelly (Dapoxetine + Sildenafil) is often popular among young people who are completely unfamiliar with sexual disorders. The medicine is available both in tablets and in jelly form. Both forms of Super P Force are easily absorbed in the body. In order to avoid sticky situations and mistakes, especially when intimacy is in full spate, it is recommended to use the drug approximately 40-60 minutes before sexual intercourse. The remedy action lasts about 4-5 hours. This is the time within which both active substances act. Under no circumstances take Super P Force jelly together with alcohol. How to use? Super P Force jelly has a pleasant fruity aroma. No special training is required to administer the remedy. It is enough to take one dose 40-60 minutes before sexual intercourse. The drug is recommended for use on an empty stomach. Side-effects Sometimes, although quite rare, the following side effects may appear: headache blood pressure changes digestive tract disorders redness of the face sensation that the blood has poured to the head, chest and shoulders runny nose change of vision, including color reproduction rash on the skin pain in the back tachycardia Contraindications: Firstly, dangerous consequences not only for the health but also for the life of a user. Especially in people under the age of eighteen years, as well as people over 60 years of age. Secondly, those persons who suffer from severe forms of chronic diseases of some organs, sickle-cell anemia, anatomical changes (curvature) of the penis. Also leukemia, multiple myeloma also should take this medication with caution. Especially it is dangerous to use Dapoxetine and Sildenafil with a variety of medications, which include drugs containing nitric oxide and nitrates. Thirdly, it is dangerous to use them together with antidepressants, tramadol, some antiviral remedies. In addition, the medicine has contraindications to individuals who have an allergic reaction to Dapoxetine and Sildenafil. You should not use this medicine if you have an allergic reaction to Dapoxetine and Sildenafil. This medication is contraindicated to people who suffer from cardiovascular disease, hypertension or hypotension. Who has stomach ulcers and other gastrointestinal disorders, cerebral circulation, including recent incidents of stroke and heart attack. For people with leukemia, with epilepsies, with cirrhosis and kidney failure. The entire list of contraindications is provided in the leaflet. Read it carefully and check with your doctor. Overdose The maximum dose of the drug is 100 mg. per day. Exceeding the established dosage can lead to undesirable consequences and harm to the health. Symptoms of an overdose last a fairly short period and disappear within a few hours. Interactions This preparation must be used with caution with such medicines as nitroglycerin, antidepressants, drugs lithium, monoamine oxidase inhibitors and organic nitrates. You should consult your doctor if you have concomitant diseases which require regular medication intake. Miscellaneous information This remedy is not addictive. You should also remember that jelly does not cause excitement, but helps it to manifest a consequence of a natural reaction to stimulation. Despite the fact that this drug is a non-prescription, therefore doctors recommend to take it only after the examination. When examining patients' reviews about super p-force, you may come across a mention of the side effects that accompany jelly intake. They occur rarely, rarely with drug overdoses or non-compliance, the manufacturer claims. In most cases, the following problems occur: headache, heartburn, runny nose, upset stomach, diarrhea, dizziness. Storage conditions: at a temperature of 15 to 30 degrees Celsius. It is recommended to avoid being in places with high humidity, exposure to heat and sunlight.

---

---

## Side Effects

---

## Uses

---

---

---

---

---

---

## Interactions

---

---

## Other Details

---

---