

iMedix: Your Personal Health Advisor.

Generic Viagra Strips (Sildenafil Citrate)

The drug Generic Viagra Strips is aimed at solving problems named as erectile dysfunction. Sildenafil citrate is the active agent included in Viagra is designed for treating erectile dysfunction. Sildenafil salt citrate belongs to the group of selective PDE-5 inhibitors.

- **ActiveIngredient:**
 - **DosageForm:**
 - **Dosage:**
 - **Indications:**
 - **Manufacturer:**
 - **Storage:**
 - **Market Price:**
 - **Drug Status:**
-

Description

General information Sildenafil citrate is the active agent included in Viagra is designed for treating erectile dysfunction. Sildenafil salt citrate belongs to the group of selective PDE-5 inhibitors. The importance of sex life for a man should never be underestimated, regardless of his age. Today, many men have erection problems, which may result in inferiority complex and depression development. The drug Generic Viagra Strips is aimed at solving problems named as erectile dysfunction. Sildenafil citrate was synthesized by a group of chemists working in the Sandwich branch of Pfizer. Initially it was supposed to be applied for hypertension, angina pectoris treatment. But the very first clinical trials showed very different properties of the active substance and treatment of angina pectoris turned out to be completely ineffective. However, in 80% of cases it contributed to the appearance of an erection. Pfizer decided to refuse further trials related to angina therapy. In 1996, the active substance Sildenafil citrate was patented as a remedy of erection enhancing. On March 27, 1998 this substance was approved by the US FDA. In the same year, the world's first medicine for erection went on sale. These days the remedy is produced in the form of a gel, chewable tablets, as well as strips. Nowadays, the remedy is used mainly to treat erectile disorders of any severity. Recent studies have shown that thanks to it the man can achieve or maintain an erection in more than 90% of cases. This allows men at any age to enjoy a full sexual life. Furthermore, at the course of clinical trials, the effectiveness of this substance was confirmed in men diagnosed with diabetes. In addition, it ought to be mentioned that it quickly restores the sexual system, increases erection, strengthens the penis blood vessels, normalizes psycho-emotional state of a man, helps develop physical endurance during sex, significantly increases sexual arousal, contributes in the amount of hormones generation, and also blood volume in the pelvic organs. This medication activates all natural functions, causing an erection. What are Viagra Strips? Viagra Strips are a form of erectile dysfunction treatment that contains sildenafil, the same active ingredient as in traditional Viagra pills. They are designed to dissolve quickly on the tongue, offering a convenient and discreet way to take the medication. How do Viagra Strips work? Viagra Strips work by increasing blood flow to the penis, helping to achieve and maintain an erection when sexually stimulated. Sildenafil, the active ingredient, inhibits the PDE5 enzyme, enhancing erectile function. How should Viagra Strips be used? Viagra Strips should be placed on the tongue and allowed to dissolve completely. This should be done approximately 30 minutes to an hour before planned sexual activity. The strip's fast-dissolving nature allows for quick absorption of the drug into the bloodstream. What are the advantages of Viagra Strips over

traditional pills? Viagra Strips offer the advantage of being more discreet and easier to take, as they don't require water and dissolve quickly in the mouth. They are also potentially faster-acting, as the medication is absorbed directly into the bloodstream from the mouth. What are the side effects of Viagra Strips? Side effects of Viagra Strips are similar to those of traditional Viagra and can include headache, flushing, indigestion, nasal congestion, dizziness, and changes in vision. More serious side effects, although rare, can include priapism and sudden hearing or vision loss. Can Viagra Strips be taken with alcohol? It's advisable to avoid or limit alcohol consumption when taking Viagra Strips, as alcohol can impair the ability to get an erection and can increase the risk of side effects. Is a prescription required for Viagra Strips? Yes, a prescription is typically required for Viagra Strips, as they contain sildenafil, which is a prescription medication. It's important to consult a healthcare provider before using this medication. How long does the effect of Viagra Strips last? The effects of Viagra Strips can last for up to 4-6 hours, but this can vary depending on individual factors such as metabolism, age, and overall health. Can women use Viagra Strips? Viagra Strips are not recommended for use by women, especially since the safety and efficacy of sildenafil in women have not been adequately studied. How should Viagra Strips be stored? Store Viagra Strips at room temperature away from moisture and heat. Keep them in their original packaging and out of reach of children. Precautions Contraindications to administering this remedy are supersensitiveness to the main agent or to any other medication ingredient. For this reason, the remedy is restricted for those patients who are treated with such drugs as organic nitrates or nitrites, due to the fact that active agent potentiates the nitrates hypotensive effect. Special contraindications are age under 18 years; being female; lactase deficiency, glucose-galactose malabsorption, lactose intolerance. In addition, it should never be taken in the case of such diseases as: coronary system diseases; disorders in heart or heart rhythm; a tendency to heart attacks; a heart attack or stroke diagnosed during the last six months; hypotension or hypertension; kidney or liver failures; blood cells associated disorders; blood clotting; stomach ulcer; retinitis pigmentosa; penis deformations. Dosage For the effective action of this drug requires sexual arousal. A strip shall be taken one hour before sexual intercourse. A standard single dosage is 25 mg which recommended to be used preferably in the fasted state with an interval of 6-8 hours. A 100 mg is considered as a maximum single and daily dose, depending on the individual health status of the patient. This maximum daily dosage should never be exceeded. For men older than sixty-five such daily dose must never exceed 25 mg. How to take This remedy is taken for 30-45 minutes prior to the planned sex. If this drug is combined with a meal, then it is better if it is taken an hour before sex. The strip Sildenafil citrate begins to act in 15-25 minutes. The maximum concentration of active agent in the blood is observed in 1.5-2.5 hours. The period of its action is about 4 hours. During this time, the man can engage in sexual intercourse, even if there are serious violations of the functioning of the reproductive system. There is evidence that some men experienced action of agent up to 6 hours. It must be remembered that it is effective only when there is a sexual stimulation. The active substance causes blood flow to the penis due to the contraction and expansion of the arteries located in the male penis. As a result the blood flow enters the penis, after which it hardens and straightens. The effect of the substance is observed in all men diagnosed with erectile disorder, regardless of its severity. The required effect is obtained after the first dose in 8 out of 10 cases, but sometimes you have to take the drug twice, although this is rather the exception. The start time of the action varies between 15 – 40 minutes from the moment of intake. The duration of action lasts usually for 3-4 hours. Side-effects Like all other medicines, this one also can cause a range of adverse reactions. As a result of research, it was established that they appeared in less than 30% of patients and were mild. The following adverse effects were most commonly observed: a cephalgia (moderate) a rush facial flushing a cardiopalmus light vertigo More detailed adverse reactions manifestations are described in the instructions attached to the remedy. However, the majority of adverse reactions are not causing any significant negative reactions, but in extreme cases, if they are manifested, you should consult a doctor as soon as possible. Overdose At the course of clinical trials, the patient on a voluntary basis was offered an increased dose of the substance. It was found that overdose of Sildenafil several times does not lead to serious adverse effects. However, gravity and the frequency of unpleasant side effects increased dramatically. Doctors warn that exceeding the maximum daily dose can be life-threatening. In this case, if necessary, a symptomatic therapy should be conducted. Hemodialysis does not accelerate the Sildenafil clearance, since the latter is actively associated with plasma proteins and is not excreted in the urine. Interactions Doctors noticed that some drugs slow down the rate of Viagra excretion out of the body. In case of the concomitant intake of such drugs and Generic Viagra Strips, it took longer time for the body to

completely get rid of the active ingredient of the medication. This was manifested in an increased level of agent in the blood over several hours and even days, which, in turn, may result in the risk of undesirable reactions. Such reactions can be in the case of use such medications as itraconazole and ketoconazole (widely used to treat fungal infections); the drug tagamet, aimed at the tumors treatment, as well as the antibiotic erythromycin. After thorough research of this issue by Pfizer Corporation experts, established that the use of Generic Viagra Strips together with these and some other rare drugs was allowed, only the dosage should be minimal. It is recommended to use strips containing 25mg of Sildenafil (such as cenforce 100, kamagra 100, suhagra 100, revatio 20 mg). Therefore, if you are constantly administering any other remedies, carefully read the instructions for Generic Viagra Strips and, if necessary, adjust the dose. There are some misconceptions regarding the interaction of the discussed remedy with other commonly used agents, such as aspirin. Some people unreasonably believe that such co-administration can affect the effectiveness of aspirin in the blood. Particularly concerned were those who constantly use aspirin to prevent angina. But these concerns have long been dispelled by doctors. If the drugs that you take are not mentioned in the instructions for the described agent, then these drugs can be combined, they do not interact and do not interfere with each other's work. Alcohol interaction It must be remembered that Sildenafil is absolutely incompatible with alcohol. Any spirits have an impact on the whole body and on the potency as well. Of course, the number of drinks consumed and their quality matters. There will be no harm to the body from one glass of wine, but from a large amount of even the highest quality drink there can be irreversible consequences. It has to be remembered that it is a chemical compound, and, as you know, any pharmaceutical product of synthetic origin shall never be combined with alcohol. Alcohol and medications for potency cause dilation of blood vessels. Accordingly, this effect will be especially pronounced. This can lead to such complications as severe dizziness, a decrease in pressure, respiratory and heart rhythm disorders, and even collapse. Both substances have a negative effect on the liver. Their simultaneous administering is a huge burden on this important organ, which leads to disruptions in its functionality. The same goes for the kidneys. They are forced to remove from the body not only the decay products of alcohols, but also the metabolites of the pharmaceutical product. As a result, they have to do double work, which can also provoke various pathologies. In addition, it should be taken into account that this remedy is absorbed much slower when combined with alcohol. Moreover, its effectiveness drops by 21-27%. Moreover, it is especially needed to emphasize the fact that both substances have the exact opposite effect. With the help of the discussed agent a man tries to increase his erection, as well as desire and sensitivity. Alcohol, on the contrary, suppresses all processes. This explains the fact that some consider Generic Viagra Strips ineffective, not taking into account that the severity of the action was reduced only by combining with strong drinks. Thus, it's up to you whether to combine this medication with alcoholic beverages. One matter is for sure: excessive consumption of strong liquor always negatively affects the body and, particularly, the potency. Therefore, trying to restore an erection, do not use anything that can reduce to zero all your efforts. Reviews In the overwhelming majority of cases, patients who have taken Generic Viagra Strips speak enthusiastically of its action. But we should not forget that even the most miraculous remedies are not able to replace warm relationships. For complete satisfaction in sex, a single hard penis is not enough, you also need love, because the ability for a normal, stable erection is not a guarantee of happiness in your personal life. Nevertheless, we give feedback from patients taking this drug. Arnold: Excellent drug, begins to act in about 20 minutes. The effect is very good and long. I recommend it to everyone, you will not regret about it, and your beloved too. Roy: I am 52 years old. Recently, I started experiencing moral and physical fatigue, a lot of nervous tension due to everyday problems; I smoke one and a half packs a day. An erection disappeared even in the mornings. In general, I stopped feeling myself a man in the literal sense, and the mood dropped to zero. I met a nice woman, but I didn't make contact, fearing to be a fiasco. In one of the pharmacies, a pharmacist advised the Sildenafil strips. The drug acted during stimulation in 20 minutes. It is important to mention that an erection occurs only when needed, and during stimulation. Antonio: For three years I have been taking Generic Viagra strips. I was very pleased with the result and the price is also good. However, for the first few times I experienced some adverse reactions, such as sore head, which actually quickly passed. John: I have been using treatments against sexual disorders for several years now. Recently, a friend of mine advised me to try Sildenafil citrate strips. The ease of use and the effectiveness of this drug in this form cannot be underestimated.

Side Effects

Uses

Interactions

Other Details
