

# iMedix: Your Personal Health Advisor.

## Vytone Cream In Packet

---

Search for medical details concerning Vytone topical on iMedix including its uses, side effects and safety, interactions, pictures, warnings and user ratings.

- **ActiveIngredient:**
  - **DosageForm:**
  - **Dosage:**
  - **Indications:**
  - **Manufacturer:**
  - **Storage:**
  - **Market Price:**
  - **Drug Status:**
- 

### Description

Side Effects Dry skin may occur. If this effect lasts or gets worse, tell your doctor or pharmacist promptly. Remember that this medication has been prescribed because your doctor has judged that the benefit to you is greater than the risk of side effects. Many people using this medication do not have serious side effects. Tell your doctor right away if you have any serious side effects, including: skin irritation/burning, extreme hair growth, skin thinning/discoloration, acne, stretch marks, small red bumps on the skin (folliculitis). Use of this medication for prolonged or repeated periods may result in a new infection. Contact your doctor if you notice any new symptoms on the skin. A very serious allergic reaction to this drug is rare. However, get medical help right away if you notice any symptoms of a serious allergic reaction, including: rash, itching/swelling (especially of the face/tongue/throat), severe dizziness, trouble breathing. This is not a complete list of possible side effects. If you notice other effects not listed above, contact your doctor or pharmacist. In the US – Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088 or at [www.fda.gov/medwatch](http://www.fda.gov/medwatch). In Canada – Call your doctor for medical advice about side effects. You may report side effects to Health Canada at 1-866-234-2345. How long does it take for this medicine to take effect? The effects of Vytone Cream on reducing inflammation and combating infection can begin soon after application. Improvement in symptoms can be observed within a few days of consistent use, but the exact time may vary depending on the condition being treated, its severity, and individual patient response. How long do the effects of this medicine last? The duration of the cream's effects will depend on the specific condition being treated and the frequency of application as directed by a healthcare provider. Continuous use as prescribed is important for the treatment's efficacy. It's common for topical treatments like Vytone Cream to be used for a course of several days to weeks. Is it safe to consume alcohol while taking this medicine? There are no direct interactions between topical application of Vytone Cream and the consumption of alcohol. However, it's always advisable to use moderation with alcohol consumption for overall health and well-being. Is this a habit forming medicine? Vytone Cream is not habit-forming and does not have the potential for abuse or dependence. Corticosteroids and antimicrobial agents work to address specific inflammatory and infectious conditions of the skin and do not affect the brain's reward pathways. Can this medicine be taken during pregnancy? Corticosteroids, when used topically in large amounts or for prolonged periods, could potentially have systemic effects. The safety of Vytone Cream during pregnancy has not been fully established. It should be used during pregnancy only if the potential benefit justifies the potential risk to the fetus. Pregnant women should discuss the use of this medication with their healthcare provider. Can this

medicine be taken while breast-feeding? It is not known whether Vytone Cream's components are excreted in human milk when applied topically. Caution should be exercised when Vytone Cream is administered to a nursing mother. If necessary, it should be used on the smallest area of skin and for the shortest duration possible. Avoid application on or near the breast to prevent the infant from ingesting the medication. Uses This combination medication is used to treat a variety of skin conditions (including eczema, fungal skin infections such as ringworm/athlete's foot/jock itch). This product contains 2 medications. Iodoquinol is an antibiotic that works by preventing the growth of fungus/bacteria. Hydrocortisone is a mild corticosteroid that works by reducing the swelling, redness, and itching that occurs in the affected skin. How to use Vytone Cream In Packet Use this medication on the skin only. Clean and thoroughly dry the area to be treated. Apply a thin layer of the medication to the affected area and gently rub in as directed by your doctor, usually 3 to 4 times daily. Wash your hands after using unless you are using this medication to treat the hands. Do not wrap, cover, or bandage the area unless directed to do so by your doctor. Do not apply the medication in the eyes, nose, mouth, or inside the vagina. If you do get the medication in those areas, flush with plenty of water. Do not apply more often or use longer than prescribed. Doing so may increase the risk of side effects. Use this medication regularly to get the most benefit from it. To help you remember, use it at the same times each day. Continue to use this medication until the full prescribed amount is finished, even if symptoms disappear after a few days. Stopping the medication too early may result in a return of the infection. Tell your doctor if your condition lasts or gets worse. Precautions Before using this medication, tell your doctor or pharmacist if you are allergic to iodoquinol or hydrocortisone; or to other 8-hydroxyquinolines (such as clioquinol); or to other corticosteroids (such as triamcinolone); or to iodine; or if you have any other allergies. This product may contain inactive ingredients, which can cause allergic reactions or other problems. Talk to your pharmacist for more details. Before using this medication, tell your doctor or pharmacist your medical history, especially of: immune system problems, poor blood circulation, tuberculosis of the skin, viral skin/eye infections (such as herpes, chickenpox). This medication may stain the skin or clothes. Use cautiously to avoid contact with clothes. Children may be more sensitive to the effects of too much corticosteroid medication. Consult your doctor for more details. During pregnancy, this medication should be used only when clearly needed. Discuss the risks and benefits with your doctor. It is unknown if this medication passes into breast milk. Consult your doctor before breast-feeding. Overdose This medicine may be harmful if swallowed. If someone has overdosed and has serious symptoms such as passing out or trouble breathing, call 911. Otherwise, call a poison control center right away. US residents can call their local poison control center at 1-800-222-1222. Canada residents can call a provincial poison control center. Do not share this medication with others. This medication has been prescribed for your current condition only. Do not use it later for another skin condition unless told to do so by your doctor. A different medication may be necessary in that case. If you miss a dose, use it as soon as you remember. If it is near the time of the next dose, skip the missed dose. Use your next dose at the regular time. Do not double the dose to catch up. Store at room temperature away from heat. Keep all medications away from children and pets. Do not flush medications down the toilet or pour them into a drain unless instructed to do so. Properly discard this product when it is expired or no longer needed. Consult your pharmacist or local waste disposal company. Interactions Drug interactions may change how your medications work or increase your risk for serious side effects. This document does not contain all possible drug interactions. Keep a list of all the products you use (including prescription/nonprescription drugs and herbal products) and share it with your doctor and pharmacist. Do not start, stop, or change the dosage of any medicines without your doctor's approval. This medication may interfere with certain lab tests (such as certain thyroid function tests and certain test for phenylketonuria), possibly causing false test results. Make sure lab personnel and all your doctors know you use this drug.

---

---

## Side Effects

---

**Uses**

---

---

---

---

---

**Interactions**

---

- 
- 
- 
- 

---

**Other Details**

---

---